Subject index

$^{40}Ar/^{39}Ar$ geochronology, 137, 223
Abitibi greenstone belt, Canada, 165
accretion metamorphism, 309
Adirondack Mountains, 59
albitization, 401
amphibolite facies, 89, 261, 309, 705, 721
amphibolites, 757
anatexis, 291
andalusite, 203
Andean Cretaceous volcanism, 437
Andes, 449
anorogenic plutonic rocks, 59
Antarctica, 319, 691
aragonite, 575
Archaean, 499, 845
Archaean greenstone belt, 121
arsenopyrite, 49

bathograd, 165
blueschist, 523, 605
blueschist metamorphism, 223
Bohemian Massif, 241
British Columbia, 779
British Columbia, Canada, 279

C–O–H–S fluids, 379
Ca-amphibole, 677
Cadomian, 137
calc-silicate, 185
calc-silicate rocks, 193, 705
calc-silicates, 89
Caledonian, 523
California, 789
carbon isotope, 789
carbon isotopes, 833
central China, 561
charnockite, 889
charnockites, 815, 855
Cheyenne Belt, southastern Wyoming, 757
chiastolite, 203
Chile, 449
China, 465, 483, 511, 537
chloritoid, 779
Closepet Granite, 889
CMAS, 845
CO_2, 371
coesite, 575
coesite eclogite, 589
COHN system, 357
collage tectonics, 605
collision zone, 589
compositional gap, 677
compositional zoning, 101
computer graphics, 621
Connemara, 185
contact metamorphism, 71
continent–continent collision, 31
continental escape, 801
continental extension, 261
cordierite, 203
crenulation cleavage, 635
crenulations, 203, 635
crystal shape, 101

D'Entrecasteaux Islands, 261
Dabie Mountains, central China, 575
decompression, 721, 867
deformation-partitioning concept, 337
dehydration reactions, 815
dehydration veins, 389
desulphidation, 379
devolatilization, 379
Dharwar craton, 889
diagenesis, 429
disequilibrium, 121

early Proterozoic, 499
Eastern Alps, 31
eastern China, 589
Eastern Ghats, 193
eclogite, 561
eclogite facies, 261
eclogites, 241, 279, 801
element mobility, 815
element partitioning, 677
epidote, 389
extensional geodynamics, 437

fluid advection, 833
fluid composition, 193, 575
fluid evolution, 357
fluid flow, 705
fluid inclusions, 49, 89, 155, 357, 371
fluid infiltration, 71
fluid mobility, 371
foliations, 203
Foothills terrane, California, 203
fractional crystallization, 101

garnet, 101, 203
garnet porphyroblasts, 621, 635
garnet zoning, 779
garnet–cordierite gneiss, 691
geobarometry, 319, 845
geothermal system, 449
geothermobarometry, 49, 279, 855
geothermometry, 319
Gibbs free energy, 855
granitic pluton, 605
granulite, 319, 483, 833
granulite facies, 499
granulite facies metamorphism, 59
granulites, 291, 691, 789, 845
graphitic rocks, 379
greenschist facies, 309
greenschist metamorphism, 223
growth rate, 101

Hercynian, 49
heulandite, 389
high-grade metamorphism, 291
high-*P* metamorphism, 589
high-*P*/low-*T* metamorphism, 455
high-*P*/*T* belt, 561
high-temperature metamorphism, 193, 337
Himalayas, 721
hydrogen diffusion, 155

immiscibility, 371
India, 815
Inner Mongolia, 483
intracontinental rifting environment, 401
isobaric cooling, 661
isograd, 165

juvenile tonalitic magmas, 879

Karmutsen metabasites, 677
khondalite, 483
Klamath Mountains, 415
kyanite–sillimanite transition, 661

Late Cretaceous to Tertiary, 449
lateral extrusion, 801
lawsonite, 279
Llano Uplift, 89
low pressure, 677
low-grade metamorphism, 415

mafic phyllosilicates, 401
mafic rocks, 801
Mancellian region, France, 137
marble, 575
Margules parameters, 855
mass transport, 71
metamorphic core complex, 261
metamorphic domains, 465
metamorphic facies, 389
metamorphic fluid infiltration, 3
metamorphic history, 549
metamorphic and tectonic evolution, 537
metamorphic zonation (zeolite to lower greenschist facies), 401
metamorphism, 49, 523, 739
metasomatism, 185
Mg–Fe carpholite, 455
microstructure, 203
mid-crust, 691
migmatites, 291
mineral–microstructure relationships, 337
multiple thrusts, 241
mylonite, 537

Namaqua Province, 661
nappe stacking, 337
New England Fold Belt, 309
North Asian orogenic belt, 511
North Shore Volcanic Group, 401
northern California, 415
nucleation rate, 101

open system, 291
orogenic metamorphism, 511
oxygen fugacity, 379
oxygen isotopes, 223

P–T conditions, 575
P–T path, 319, 739, 867
P–T paths, 241, 721
P–T trajectory, 499, 589
P–T–d development, 31
P–T–t path, 483, 537, 549
P–T–t–d paths, 337
paired metamorphic belts, 511, 605
palaeoisotherms, 59
pelitic schist, 779
Peninsular Gneiss, 889
phase equilibria, 89
phase equilibria in aluminous schists, 455
phyllites, 203
polymetamorphism, 661
porphyroblast rotation, 635
porphyroblasts, 203
post-accretion metamorphism, 309
prehnite, 389
prehnite–pumpellyite facies, 309, 415, 429
pressure–temperature paths, 279
progressive deformation, 635
progressive diapirism, 337
Proterozoic, 661, 739
pseudotachylite, 319
pumpellyite, 389, 437
pumpellyite–actinolite facies, 415, 429
pyrophyllite, 455

Qilian Mountains, 523
Qinling belt, 537
Qinling orogenic belt, 549

Raman spectroscopy, 155
Rb–Sr dates, 309
re-equilibration, 155, 357
reaction front, 833
reaction rate, 101
reaction textures, 867
regional metamorphism, 705
regional and pluton-driven hydrothermal systems, 3
regional ultra-high-*P* metamorphism, 575
retrograde metamorphism, 121
retrograde path, 193
retrogression, 241
Rogaland, 357
rotation of porphyroblasts, 203

St Malo region, France, 137
sapphirine granulites, 867
schists, 203
seismogenic zone, 389
sense of shear, 635
serial thin sections, 621
Shangdan fault zone, 537
shear zone, 121
shear zones, 757
Sierra Nevada, 203, 415
size distribution, 101
slaty cleavage, 203
South India, 845, 867
South Indian charnockites, 833
southern Brittany, 337
spatial distribution, 101
spiral-shaped inclusion trails, 621, 635
staurolite, 779
stress refraction, 801
structural relations, 889
subduction, 309
subgreenschist to greenschist transition, 165
subregular solution, 855
suture zone, 511
syn- to post-accretional granulites, 879

tectonic ages, 185
tectonic evolution, 511, 549
tectonic overpressure, 801
tectonics, 465, 739
tectonometamorphic cycle, 549
thermal-hydrothermal rejuvenation, 137
thermochronology, 739
thermometry, 789
three-dimensional reconstruction, 621
time-integrated fluid fluxes, 3
Tinos, Cyclades, Greece, 223
transitional blueschist–greenschist, 561
2550–2510 Ma, 879

U-Pb, Sr, Nd isotopes, 879
ultramylonite, 319
underthrusting, 721
uplift, 371
uplift mechanisms, 455

Vancouver Island, 677
Variscan, 137
Variscan orogeny, 337
vein, 705
very low-grade metamorphism, 389, 429, 437
vitrinite reflectance, 429

wairakite, 449
western South American border, 437

Yellowknife thermal dome, 101
yugawaralite, 449

zeolite facies, 449
zeolites, 429
zircon U–Pb systematics, 59

Author index

Aguirre, L. Compositional variations of Cretaceous pumpellyites along the western margin of South America and their relation to an extensional geodynamic setting, 437
Audren, C. & Triboulet, C. *P–T–t*–deformation paths recorded by kinzigites during diapirism in the western Variscan belt (Golfe du Morbihan, southern Brittany, France), 337
Ayora, C., Liesa, M. & Delgado, J. Low-thermal-gradient Hercynian metamorphism in the eastern Pyrenees, 49

Bakker, R.J. & Jansen, J.B.H. Calculated fluid evolution path versus fluid inclusion data in the COHN system as exemplified by metamorphic rocks from Rogaland, south-west Norway, 357
Baldwin, S.L. *see* Hill, E.J.
Barth, A.P. *see* Morrison, J.
Bartlett, J. *see* Harris, N.B.W.
Beaufort, D. *see* Morin, D.
Beiersdorfer, R.E. Metamorphism of a Late Jurassic volcano-plutonic arc, northern California, USA, 415
Black, P.M., Clark, A.S.B. & Hawke, A.A. Diagenesis and very low-grade metamorphism of volcaniclastic sandstones from contrasting geodynamic environments, North Island, New Zealand: the Murihiku and Waipapa terranes, 429
Black, P.M., Maurizot, P., Ghent, E.D. & Stout, M.Z. Mg–Fe carpholites from aluminous schists in the Diahot region and implications for preservation of high-pressure/low-temperature schists, northern New Caledonia, 455
Bröcker, M., Kreuzer, H., Matthews, A. & Okrusch, M. $^{40}Ar/^{39}Ar$ and oxygen isotope studies of polymetamorphism from Tinos Island, Cycladic blueschist belt, Greece, 223
Brown, M. *see* Dallmeyer, R.D.
Bucher-Nurminen, K. & Ohta, Y. Granulites and garnet–cordierite gneisses from Dronning Maud Land, Antarctica, 691
Burchfiel, B.C. *see* Hodges, K.V.
Bussy, F. see Cliff, R.A.

Carmichael, D.M. *see* Powell, W.G.
Carr, P.F. *see* Leitch, E.C.
Cartwright, I. *see* Oliver, N.H.S.
Cesare, B. *see* Connolly, J.A.D.
Chen, Z. *see* Hodges, K.V.
Chiarenzelli, J.R. & McLelland, J.M. Granulite facies metamorphism, palaeo-isotherms and disturbance of the U–Pb systematics of zircon in anorogenic plutonic rocks from the Adirondack Highlands, 59
Chou, I.-M. *see* Morgan VI, G.B.
Clark, A.S.B. *see* Black, P.M.
Clarke, G.L. & Norman, A.R. Generation of pseudotachylite under granulite facies conditions, and its preservation during cooling, 319
Cliff, R.A., Yardley, B.W.D. & Bussy, F. U–Pb isotopic dating of fluid infiltration and metasomatism during Dalradian regional metamorphism in Connemara, western Ireland, 185
Cong, B. *see* Zhang, R.
Connolly, J.A.D. & Cesare, B. C–O–H–S fluid composition and oxygen fugacity in graphitic metapelites, 379
Coombs, D.S. Dehydration veins in diagenetic and very-low-grade metamorphic rocks: features of the crustal seismogenic zone and their significance to mineral facies, 389
Craw, D. & Norris, R.J. Grain boundary migration of water and carbon dioxide during uplift of garnet-zone Alpine Schist, New Zealand, 371

Dallmeyer, R.D. *see* Grambling, J.A.
Dallmeyer, R.D., Brown, M., D'Lemos, R.S. & Strachan, R.A. Variable Variscan thermal rejuvenation in the St Malo region, Cadomian Orogen, France: evidence from $^{40}Ar/^{39}Ar$ mineral ages, 137
Dasgupta, S. Contrasting mineral parageneses in high-temperature calc-silicate granulites: examples from the Eastern Ghats, India, 193
Davis, S.R. & Ferry, J.M. Fluid infiltration during contact metamorphism of interbedded marble and calc-silicate hornfels, Twin Lakes area, central Sierra Nevada, California, 71
Day, H.W., Liou, J.G. & Liangzhao, L. Metamorphism and tectonics of China, 461
Delgado, J. *see* Ayora, C.
D'Lemos, R.S. *see* Dallmeyer, R.D.

Eckert, J.O. Jr. & Newton, R.C. Palaeopressures of South Indian two-pyroxene garnet granulites from thermochemically calibrated CMAS barometers, 845
Eide, E.A. *see* Zhou, G.
Enami, M., Zang, Q. & Yin, Y. High-pressure eclogites in northern Jiangsu – southern Shandong province, eastern China, 589
Erdmer, P. *see* Ghent, E.D.
Ernst, W.G. *see* Zhou, G.

Fergusson, C.L. *see* Leitch, E.C.
Ferry, J.M. *see* Davis, S.R.
Ferry, J.M. *see* Leger, A.
Foster, D. *see* Vernon, R.H.

Ghent, E.D. *see* Black, P.M.
Ghent, E.D. *see* Whitney, D.L.
Ghent, E.D., Stout, M.Z. & Erdmer, P. Pressure-temperature evolution of lawsonite-bearing eclogites, Pinchi Lake, British Columbia, 279
Golding, S.D. *see* Oliver, N.H.S.
Grambling, J.A. & Dallmeyer, R.D. Tectonic evolution of Proterozoic rocks in the Cimarron Mountains, northern New Mexico, USA, 739

Hanquan, W., Yimin, F. & Suguang, S. Metamorphism and deformation of blueschist belts and their tectonic implications, North Qilian Mountains, China, 523
Hansen, E. & Stuk, M. Orthopyroxene-bearing, mafic migmatites at Cone Peak, California: evidence for the formation of migmatitic granulites by anatexis in an open system, 291
Harris, N.B.W., Jackson, D.H., Mattey, D.P., Santosh, M. & Bartlett, J. Carbon-isotope constraints on fluid advection during contrasting examples of incipient charnockite formation, 833
Hawke, A.A. *see* Black, P.M.
Henderson, R.A. *see* Leitch, E.C.
Hill, E.J. & Baldwin, S.L. Exhumation of high-pressure metamorphic rocks during crustal extension in the D'Entrecasteaux region, Papua New Guinea, 261
Hodges, K.V., Burchfiel, B.C., Royden, L.H., Chen, Z. & Liu, Y. The metamorphic signature of contemporaneous extension and shortening in the central Himalayan orogen: data from the Nyalam transect, southern Tibet, 721
Hodgson, C.J. *see* Powell, W.G.
Humphreys, H.C. & Scheepers, D.J. Polymetamorphism and isobaric cooling of pelitic schists from the Annex sulphide deposit, Gordonia Belt, South Africa, 661

Jackson, D.H. *see* Harris, N.B.W.
Jansen, J.B.H. *see* Bakker, R.J.
Jayananda, M. *see* Peucat, J.J.
Jayaram, S. *see* Naha, K.
Jebrak, M. *see* Morin, D.
Jianmin, H. *see* Nenggao, H.
Jiaxi, Y. *see* Nenggao, H.

Johnson, S.E. Testing models for the development of spiral-shaped inclusion trails in garnet porphyroblasts: to rotate or not to rotate, that is the question, 635
Johnson, S.E. Unravelling the spirals: a serial thin- section study and three-dimensional computer-aided reconstruction of spiral-shaped inclusion trails in garnet porphyroblasts, 621

Kedong, T. & Zhuyun, Y. Regional metamorphism and tectonic evolution of the Inner Mongolian suture zone, 511
Kretz, R. A garnet population in Yellowknife schist, Canada, 101
Kreuzer, H. *see* Brocker, M.
Kruhl, J.H. The P–T–d development at the basement–cover boundary in the north-eastern Tauern Window (Eastern Alps): Alpine continental collision, 31

Lal, R.K. Internally consistent recalibrations of mineral equilibria for geothermobarometry involving garnet–orthopyroxene–plagioclase–quartz assemblages and their application to the South Indian granulites, 855
Lamb, W.M. *see* Letargo, C.M.R.
Léger, A. & Ferry, J.M. Fluid infiltration and regional metamorphism of the Waits River Formation, north-east Vermont, USA, 3
Leitch, E.C., Morand, V.J., Fergusson, C.L., Henderson, R.A. & Carr, P.F. Accretion and post-accretion metamorphism in subduction complex terranes of the New England Fold Belt, eastern Australia, 309
Letargo, C.M.R. & Lamb, W.M. P–T–X conditions of calc-silicate formation: evidence from fluid inclusions and phase equilibria; Llano Uplift, central Texas, USA, 89
Levi, B. *see* Vergara, M.
Liangzhao, L. *see* Day, H.W.
Liangzhao, L. & Shiqin, J. P–T–t paths and tectonic history of an early Precambrian granulite facies terrane, Jining district, south-east Inner Mongolia, China, 483
Liesa, M. *see* Ayora, C.
Liou, J.G. *see* Day, H.W.
Liou, J.G. *see* Wang, X.
Liou, J.G. *see* Zhang, R.
Liou, J.G. *see* Zhou, G.
Liu, Y. *see* Hodges, K.V.
Liu, Y.J. *see* Zhou, G.

McLelland, J.M. *see* Chiarenzelli, J.R.
Mahabaleswar, B. *see* Peucat, J.J.
Mancktelow, N.S. Tectonic overpressure in competent mafic layers and the development of isolated eclogites, 801
Maruyama, S. *see* Zhang, R.
Mattey, D.P. *see* Harris, N.B.W.
Matthews, A. *see* Bröcker, M.
Maurizot, P. *see* Black, P.M.
Meunier, A. *see* Morin, D.
Mohan, A. & Windley, B.F. Crustal trajectory of sapphirine-bearing granulites from Ganguvarpatti, South India: evidence for an isothermal decompression path, 867
Mohan, A. Southern Indian granulites: introduction, 813
Morand, V.J. *see* Leitch, E.C.
Morgan VI, G.B., Chou, I.-M., Pasteris, J.D. & Olsen, S.N. Re-equilibrium of CO_2 fluid inclusions at controlled hydrogen fugacities, 155
Morin, D., Jebrak, M., Beaufort, D. & Meunier, A. Metamorphic evolution of the late Archaean Cadillac tectonic zone, McWatters, Abitibi belt, Quebec, 121
Morrison, J. & Barth, A.P. Empirical tests of carbon isotope thermometry in granulites from southern California, 789

Naha, K., Srnivasan, R. & Jayaram, S. Structural relations of charnockites of the Archaean Dharwar craton, southern India, 889
Nenggao, H., Jiaxi, Y., Sanyuan, A. & Jianmin, H. Metamorphism and tectonic evolution of the Shangdan fault zone, Shaanxi, China, 537
Nensong, C. *see* Zhendong, Y.
Newton, R.C. *see* Eckert, J.O. Jr
Norman, A.R. *see* Clarke, G.L.
Norris, R.J. *see* Craw, D.
Nyman, M.W. & Tracy, R.J. Petrological evolution of amphibolite shear zones, Cheyenne Belt, south-eastern Wyoming, USA, 757

O'Brien, P.J. Partially retrograded eclogites of the Munchberg Massif, Germany: records of a multi-stage Variscan uplift history in the Bohemian Massif, 241
Ohta, Y. *see* Bucher-Nurminen, K.
Okrusch, M. *see* Bröcker, M.
Oliver, N.H.S., Cartwright, I., Wall, V.J. & Golding, S.D. The stable isotope signature of kilometre-scale fracture-dominated metamorphic fluid pathways, Mary Kathleen, Australia, 705
Olsen, S.N. *see* Morgan VI, G.B.

Pasteris, J.D. *see* Morgan VI, G.B.
Paterson, S.R. *see* Vernon, R.H.
Peucat, J.J., Mahabaleswar, B. & Jayananda, M. Age of younger tonalitic magmatism and granulitic metamorphism in the South Indian transition zone (Krishnagiri area); comparison with older Peninsular gneisses from the Gorur–Hassan area, 879
Powell, W.G., Carmichael, D.M. & Hodgson, C.J. Thermobarometry in a subgreenschist to greenschist transition in metabasites of the Abitibi greenstone belt, Superior Province, Canada, 165

Raith, M. & Srikantappa, C. Arrested charnockite formation at Kottavattam, southern India, 815
Royden, L.H. *see* Hodges, K.V.

Santosh, M. *see* Harris, N.B.W.
Sanyuan, A. *see* Nenggao, H.
Scheepers, D.J. *see* Humphreys, H.C.
Schmidt, S.Th. Regional and local patterns of low-grade metamorphism in the North Shore Volcanic Group, Minnesota, USA, 401
Shenbao, D. Metamorphic and tectonic domains of China, 465
Shiqin, J. *see* Liangzhao, L.
Shutian, S. *see* Zhendong, Y.
Shuxun, L. *see* Xishan, L.
Srikantappa, C. *see* Raith, M.
Srnivasan, R. *see* Naha, K.
Stout, M.Z. *see* Black, P.M.
Stout, M.Z. *see* Ghent, E.D.
Strachan, R.A. *see* Dallmeyer, R.D.
Stuk, M. *see* Hansen, E.
Suguang, S. *see* Hanquan, W.

Terabayashi, M. Compositional evolution in Ca-amphibole in the Karmutsen metabasites, Vancouver Island, British Columbia, Canada, 677
Tracy, R.J. *see* Nyman, M.W.
Triboulet, C. *see* Audren, C.

Vergara, M., Levi, B. & Villarroel, R. Geothermal-type alteration in a burial metamorphosed volcanic pile, central Chile, 449
Vernon, R.H., Paterson, S.R. & Foster, D. Growth and deformation of porphyroblasts in the Foothils terrane, central Sierra Nevada, California: negotiating a microstructural minefield, 203
Villarroel, R. *see* Vergara, M.

Wall, V.J. *see* Oliver, N.H.S.
Wang, X. & Liou, J.G. Ultra-high-pressure metamorphism of carbonate rocks in the Dabie Mountains, central China, 575
Wei, J. *see* Xishan, L.

Whitney, D.L. & Ghent, E.D. Prograde reactions and garnet zoning reversals in staurolite schist, British Columbia: significance for thermobarometric interpretations, 779
Windley, B.F. *see* Mohan, A.

Xishan, L., Wei, J., Shuxun, L. & Xuechun, X. Two types of Precambrian high-grade metamorphism, Inner Mongolia, China, 499
Xuechun, X. *see* Xishan, L.

Yardley, B.W.D. *see* Cliff, R.A.
Yimin, F. *see* Hanquan, W.
Yin, Y. *see* Enami, M.
Yujing, H. *see* Zhendong, Y.

Zang, Q. *see* Enami, M.
Zenqiu, Z. *see* Zhendong, Y.
Zhang, R., Cong, B., Maruyama, S. & Liou, J.G. Metamorphism and tectonic evolution of the Lancang paired metamorphic belts, south-western China, 605
Zhendong, Y., Yujing, H., Shutian, S., Nensong, C. & Zenqiu, Z. Metamorphic history and tectonic evolution of the Qinling Complex, eastern Qinling Mountains, China, 549
Zhou, G., Liu, Y.J., Eide, E.A., Liou, J.G & Ernst, W.G. High-pressure/low-temperature metamorphism in northern Hubei Province, central China, 561
Zhuyun, Y. *see* Kedong, T.